

L Number	Hits	Search Text	DB	Time stamp
-	197	702/25.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 14:54
-	530	(predict\$3 or forecast) same (initial or first) same value same (analyte or analysis or pattern) same (sample or specimen or pattern or example)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 15:09
-	197	702/25.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 15:08
-	1	702/25.ccls. and ((predict\$3 or forecast) same (initial or first) same value same (analyte or analysis or pattern) same (sample or specimen or pattern or example))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 15:08
-	80	(predict\$3 or forecast) with (initial or first) with value with (analyte or analysis or pattern) with (sample or specimen or pattern or example)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 15:23
-	1	((predict\$3 or forecast) with (initial or first) with value with (analyte or analysis or pattern) with (sample or specimen or pattern or example)) and (observation\$1 and variable\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 15:24
-	32	((predict\$3 or forecast) with (initial or first) with value with (analyte or analysis or pattern) with (sample or specimen or pattern or example)) and variable\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 15:25
-	10	((predict\$3 or forecast) with (initial or first) with value with (analyte or analysis or pattern) with (sample or specimen or pattern or example)) same variable\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 15:32
-	92	(initial or first or start\$3) with analyte with (sample or specimen) with value\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 21:19
-	41	((initial or first or start\$3) with analyte with (sample or specimen) with value\$1) and ((equation or model) with (predict\$3 or estimat\$5 or simulat\$4 or model\$4 or calculat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 21:16
-	46	((initial or first or start\$3) with analyte with (sample or specimen) with value\$1) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or model\$4 or calculat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 21:21
-	13	(initial or start\$3) with analyte with (sample or specimen) with value\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 21:27
-	11	((initial or start\$3) with analyte with (sample or specimen) with value\$1) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or model\$4 or calculat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 21:22
-	8	((initial or start\$3) with analyte with (sample or specimen) with value\$1) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 21:29

-	46	initial with value\$1 with analyte	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 21:45
-	28	((initial with value\$1 with analyte) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:25
-	189	((initial OR preliminary) with (value\$1 or concentration or signal) with analyte	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:26
-	28	((((initial with value\$1 with analyte) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3))) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:11
-	28	((((initial with value\$1 with analyte) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3))) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3))) and (observations or samples or variables or specimen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:12
-	3	((((initial with value\$1 with analyte) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3))) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3))) and ((observation\$1 or sample\$1 or variable\$1 or specimen) with ((container\$1 or tube\$1) with type))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:21
-	3	((((initial with value\$1 with analyte) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3))) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3))) and ((observation\$1 or sample\$1 or variable\$1 or specimen) with (stor\$3 with type))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:20
-	3	((((initial with value\$1 with analyte) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3))) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3))) and ((observation\$1 or sample\$1 or variable\$1 or specimen) with (stor\$3 with (type or time or temperature)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:20
-	108	analyte with ((observation\$1 or sample\$1 or variable\$1 or specimen) with ((container\$1 or tube\$1 or stor\$3) with (type or time or temperature)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:23
-	11396	analyte with ((observation\$1 or sample\$1 or variable\$1 or specimen))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:23

480	(analyte with ((observation\$1 or sample\$1 or variable\$1 or specimen))) and ((container\$1 or tube\$1) with type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:38
503	(analyte with ((observation\$1 or sample\$1 or variable\$1 or specimen))) and (storage with (time or temperature))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:25
3	((analyte with ((observation\$1 or sample\$1 or variable\$1 or specimen))) and ((container\$1 or tube\$1) with type)) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3)) and (initial OR preliminary) with (value\$1 or concentration or signal) with analyte	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:26
67	((analyte with ((observation\$1 or sample\$1 or variable\$1 or specimen))) and ((container\$1 or tube\$1) with type)) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 23:08
61	((analyte with ((observation\$1 or sample\$1 or variable\$1 or specimen))) and ((container\$1 or tube\$1) with type)) and ((analyte with ((observation\$1 or sample\$1 or variable\$1 or specimen))) and (storage with (time or temperature)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:28
12	((analyte with ((observation\$1 or sample\$1 or variable\$1 or specimen))) and ((container\$1 or tube\$1) with type)) and ((analyte with ((observation\$1 or sample\$1 or variable\$1 or specimen))) and (storage with (time or temperature))) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:29
484	(analyte with ((observation\$1 or sample\$1 or variable\$1 or specimen))) and ((container\$1 or tube\$1 or containment) with type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:42
91	((analyte with ((observation\$1 or sample\$1 or variable\$1 or specimen))) and ((container\$1 or tube\$1) with type)) and ((equation or model or algorithm or function) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:40
16	((analyte with ((observation\$1 or sample\$1 or variable\$1 or specimen))) and ((container\$1 or tube\$1) with type)) and ((equation or model or algorithm or function) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3) with analyte)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:49
572	(analyte with ((observation\$1 or sample\$1 or variable\$1 or specimen))) and ((container\$1 or tube\$1 or containment or vessel) with type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:52
17	((analyte with ((observation\$1 or sample\$1 or variable\$1 or specimen))) and ((container\$1 or tube\$1 or containment or vessel) with type)) and ((equation or model or algorithm or function) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3) with analyte)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:49

-	6	((container\$1 or tube\$1 or containment or vessel) with type) with analyte with (amplification or replication or influence or evolution or change)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 23:06
-	74	((container\$1 or tube\$1 or containment or vessel) with type) with analyte	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 22:59
-	1	(storage with time) with analyte with (amplification or replication or influence or evolution or change)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 23:07
-	10	(stor\$3 with time) with analyte with (amplification or replication or influence or evolution or change)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 23:07
-	343	(time or temporal) with analyte with (amplification or replication or influence or evolution or change)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 23:08
-	239	((time or temporal) with analyte with (amplification or replication or influence or evolution or change)) and (temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 23:08
-	50	((time or temporal) with analyte with (amplification or replication or influence or evolution or change)) and (temperature)) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 23:12
-	0	((time or temporal) with analyte with (amplification or replication or influence or evolution or change)) and (temperature)) and ((equation or model or algorithm) with (predict\$3 or estimat\$5 or simulat\$4 or calculat\$3 or obtain\$3)) and (diffusion with container with type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 23:12
-	0	analyte and (diffusion with container with type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 23:13
-	25	analyte and (diffusion with container)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 23:29
-	22	analyte with (container with type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 23:36
-	1	analyte with (storage with condition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 23:38
-	0	predict\$3 with analyte with (ambient or environment\$2) with (temperature or time or container)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 23:41

-	9	(predict\$3 or estimat\$4 or calculat\$4) with analyte with (ambient or environment\$2) with (temperature or time or container)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/05 23:41
---	---	--	---	------------------